

# ELMARK<sup>®</sup>

The Brand of Electricity

## GYPSUM DOWNLIGHTS



# TECHNICAL SPECIFICATION

## INDOOR- LED FIXTURES

**ELMARK**<sup>®</sup>

The Brand of Electricity

---

### Technical data:

---

- Operating voltage: 230V
- Lamp power: max.20W
- Lamp holder: GU10
- Material: Plaster
- Colour body: White

---

### Features:

---

- Compact size
- Ideal for versatile and attractive architectural solutions
- Discrete mounting
- Innovative and modern design
- Easy installation thanks to the metal mesh wings integrated in the fixture body.
- Can be designed with colors, stickers & more

---

### Area of application:

---

- Living areas
- Hotels
- Restaurants
- Shops
- Conference Halls
- Corridors
- Office
- Art galleries
- Entertainment place

# TECHNICAL SPECIFICATION

## INDOOR- LED FIXTURES

**ELMARK**<sup>®</sup>

The Brand of Electricity

### Variants and Dimensions:



Model	Lamp holder	Colour body	IP code	Size (mm)		Catalogue number
				Diameter	Height	
Round	GU10	White	IP20	100	40	92GDL05R
Round	GU10	White	IP20	130	45	92GDL09R
Round	GU10	White	IP20	130	70	92GDL11R



Model	Lamp holder	Colour body	IP code	Size (mm)			Catalogue number
				Length	Width	Height	
Square	GU10	White	IP20	100	100	40	92GDL06S
Square	GU10	White	IP20	120	120	60	92GDL010S
Square with diffuser	GU10	White	IP20	120	120	60	92GDL06SGL
Square	GU10	White	IP20	120	120	60	92GDL013S

# TECHNICAL SPECIFICATION

## INDOOR- LED FIXTURES


**ELMARK**<sup>®</sup>

The Brand of Electricity

### GYPSUM DOWNLIGHT WITH LED CREE



- Power: 1W
- Luminous flux: 70 lm
- Colour temperature: 4000K
- Beam angle: 30°



Model	Lamp holder	Colour body	IP code	Size (mm)			Catalogue number
				Length	Width	Height	
Square	LED CREE 1W	White	IP20	140	170	50	92GDL14LEDS

### Barcodes:


3800131216830	92GDL05R
3800131216892	92GDL09R
3800131216885	92GDL11R
3800131216847	92GDL06S
3800131216878	92GDL010S
3800131216861	92GDL06SGL
3800131216854	92GDL013S
3800131216946	92GDL14LEDS

# TECHNICAL SPECIFICATION

## INDOOR- LED FIXTURES

# ELMARK<sup>®</sup>


The Brand of Electricity



**ELMARK**  
*lighting*

92GDL05R

---



This luminaire is compatible with bulbs of the energy classes:

A<sup>++</sup>

A<sup>+</sup>

A


B

C

D


E

}



---

874/2012



EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 60598-1 • EN 60598-2-2 • EN 50581:2012

**CE** RoHS COMPLIANT 

[www.elmarkholding.eu](http://www.elmarkholding.eu)